


9. (Currently Amended) A paint composition according to claim 8, wherein the paint composition comprises a binder system, said binder system comprising said organosilyl esters of monocarboxylic, sulphonic or phosphoric acid as a binder component.
10. (Currently Amended) A paint composition comprising silyl esters of monocarboxylic, sulphonic or phosphoric acid, wherein the acid is saturated at the alpha carbon and is other than rosin as a binder component of a binder system.
11. (Previously Presented) A paint composition according to claim 8, which comprises a mixture of organosilyl esters of monocarboxylic, sulphonic or phosphoric acids.
12. (Currently Amended) A process for preparing a paint composition characterized in that one step of the process is the addition of organosilyl esters of acids saturated at the alpha carbon and other than rosin as a binder component of a binder system.
13. (Previously Presented) A process for preparing a paint composition according to claim 12, wherein the paint composition is an antifouling paint.
14. (Currently Amended) A binder composition according to claim 1, wherein the organosilyl ester of the carboxylic, sulphonic or phosphoric acid is based on a hydrocarbyl residue of three or more carbons greater than or equal to C3.
15. (Previously Presented) A paint composition according to claim 8, wherein the organosilyl ester of the acid is represented by the general formula (I):



wherein Z represents:

Author Search

⇒ FILE HCAPLUS

FILE 'HCAPLUS' ENTERED AT 09:55:02 ON 25 JUN 2009
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT © 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 25 Jun 2009 VOL 150 ISS 26
 FILE LAST UPDATED: 24 Jun 2009 (20090624/ED)
 REVISED CLASS FIELDS (/NCL) LAST RELOADED: Apr 2009
 USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Apr 2009

HCAplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:


<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

'OBI' IS DEFAULT SEARCH FIELD FOR 'HCAPLUS' FILE

⇒ D STAT QUE L33


L3 STR



Structure attributes must be viewed using STN Express query preparation.

L4 (529)SEA FILE=REGISTRY SSS FUL L3

L5 STR



Structure attributes must be viewed using STN Express query preparation.

```

L6      422 SEA FILE=REGISTRY SUB=L4 SSS FUL L5
L15     167 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L6 (L) PREP/RL
L17     90310 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON PAINTS+OLD,NT/CT OR
        PAINT/BI
L19     310 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L6
L20     4 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L17 AND L19
L23     25 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L19 AND 42/SC, SX
L24     8 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L15 AND 42/SC, SX
L25     4129 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON ANTIFOULING AGENTS+OLD
        ,NT/CT
L26     1 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L15 AND L25
L27     1 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L19 AND L25
L28     25 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON (L23 OR L24 OR L26 OR
        L27)
L29     17 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L28 AND (PRY<=2003 OR
        PY<=2003 OR AY<=2003 OR PD<=2003)
L30     101 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON GILLARD M7/AU
L31     528 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON VOS M7/AU
L32     3 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON (L30 OR L31) AND L29
L33     7 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON (L20 OR L32)

```

⇒ D IBIB ED ABS HITSTR L33 1-7

L33 ANSWER 1 OF 7 HCAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2007:496754 HCAPLUS Full-text

DOCUMENT NUMBER: 146:442280

TITLE: Process for the preparation of organosilylated
carboxylate monomers, and their use in antifouling
coatings

INVENTOR(S): Flehiers, Mark; Vos, Marcel; Gillard,
Michel

PATENT ASSIGNEE(S): Sigma Coatings B.V., Neth.

SOURCE: PCT Int. Appl., 18pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003027124	A1	20030403	WO 2002-EP10552	20020919 ←
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TG, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1295888	A1	20030326	EP 2001-203581	20010921 ←
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
AU 2002338742	A1	20030407	AU 2002-338742	20020919 ←

Serial No.:10/555,857

EP 1427736	A1	20040616	EP 2002-777159	20020919	←
EP 1427736	B1	20061115			
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK					
JP 2005503439	T	20050203	JP 2003-530711	20020919	←
US 20050014963	A1	20050120	US 2004-490126	20040903	←
US 7122692	B2	20061017			

PRIORITY APPLN. INFO.: EP 2001-203581 A 20010921 ←
 EP 2002-76553 A 20020419 ←
 WO 2002-EP10552 W 20020919 ←


ED Entered STN: 08 May 2007

AB Organosilylated carboxylate monomers are prepared by reacting an acyloxysilane with an unsatd. Carboxylic acid, where the monomers are useful as comonomers in binders of antifouling coating compns. 20 ML of acetoxytrimethylsilane and 11.4 mL of com. Methacrylic acid in 100 mL of hexane are mixed and heated, then the product is purified by azeotropic distillation of acetic acid to give trimethylsilyl methacrylate.

IT 640772-61-8P
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
 (monomer; process for the preparation of organosilylated carboxylate monomers, and their use in antifouling coatings)

RN 640772-61-8 HCAPLUS


CN 2-Propenoic acid, 2-methyl-, 1,1,3,3,5,5,7,7,7-nonamethyl-1-tetrasiloxanyl ester (CA INDEX NAME)



IT 3453-81-4, Nonamethyl-1-acetoxy-tetrasiloxane
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (process for the preparation of organosilylated carboxylate monomers, and their use in antifouling coatings)

RN 3453-81-4 HCAPLUS

CN 1-Tetrasiloxanol, 1,1,3,3,5,5,7,7,7-nonamethyl-, 1-acetate (CA INDEX NAME)



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L33 ANSWER 2 OF 7 HCAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 2006:29332 HCAPLUS [Full-text](#)
 DOCUMENT NUMBER: 144:109876
 TITLE: Hydrolyzable binders for antifouling coating

INVENTOR(S): compositions
 PATENT ASSIGNEE(S): Plehiers, Mark; Gillard, Michel
 SOURCE: Sigmakalon B.V., Neth.
 Eur. Pat. Appl., 14 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1614722	A1	20060111	EP 2004-254073	20040707
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR				
JP 2006022332	A	20060126	JP 2005-199139	20050707
PRIORITY APPLN. INFO.:			EP 2004-254073	A 20040707
ED Entered STN: 12 Jan 2006				

AB The hydroxyl_ble binder comprises ≥ 1 hydrolyzable side chain - $ZO[Si(R_4)(R_5)O]_nSi(R_1)(R_2)R_3$ ($Z = -CO-, -SO_2-, -P(:O)(-)-, -P(:O)(OH)-$; $R_4, R_5 = -Osi(R_1)(R_2)R_3, -O[Si(R_4)(R_5)O]_nSi(R_1)(R_2)R_3, H$ hydroxyl, alkyl, aryl, alkoxyl, aryloxy, alkenyl, alkynyl, aralkyl or aralkyloxy; R_1, R_2 and $R_3 = H, \text{hydroxyl}$, alkyl, alkenyl, alkynyl, alkoxyl, $-Osi(R_1)(R_2)R_3, -O[Si(R_4)(R_5)O]_nSi(R_1)(R_2)R_3$, aryl, aryloxy, aralkyl or aralkyloxy; $n = 1-1000$). The antifouling coating composition comprises the hydroxyl_ble binder and ≥ 1 metal oxide selected from Cu_2O and ZnO .

IT 872692-09-6P 872692-10-9P 872692-11-0P
 RL: IMF (Industrial manufacture); POF (Polymer in formulation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses) (hydroxyl_ble binders for antifouling coating compns.)


RN 872692-09-6 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, methyl ester, polymer with butyl 2-propenoate and nonamethyltetrasiloxanyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 640772-61-8


CMF C13 H32 O5 Si4



CM 2

CRN 141-32-2

CMF C7 H12 O2



CM 3

CRN 80-62-6

CMF C5 H8 O2




RN 872692-10-9 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, methyl ester, polymer with butyl 2-propenoate and 1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl
2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 121836-13-3


CMF C11 H26 O4 Si3



CM 2

CRN 141-32-2

CMF C7 H12 O2



CM 3

CRN 80-62-6

CMF C5 H8 O2



LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1475415	A1	20041110	EP 2003-252855	20030507
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
WO 2004099326	A2	20041118	WO 2004-EP4997	20040507
WO 2004099326	A3	20050506		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1620514	A2	20060201	EP 2004-731611	20040507
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
CN 1784478	A	20060607	CN 2004-80012176	20040507
CN 100393822	C	20080611		
JP 2006525396	T	20061109	JP 2006-505410	20040507
US 20070161722	A1	20070712	US 2005-555857	20051102
NO 2005005366	A	20051111	NO 2005-5366	20051111
PRIORITY APPLN. INFO.:			EP 2003-252855	A 20030507
			WO 2004-EP4997	W 20040507
ED	Entered STN:	11 Nov 2004		
AB	The use of an organosilyl ester as an alkaline hydrolysis or erosion booster for the binder system of a paint formulation is described. The booster is used in paint formulations which require hydrolysis of one or more of the components of the paint in use. The organosilyl esters of the invention may also independently be film forming. The organosilyl ester may be the ester of a high-boiling carboxylic, sulfonic or phosphoric acid, such as hydrogenated rosin-ethyltriacetoxysilane adduct. The binder systems of the invention can be used in paint compns., such as self-polishing antifouling paints.			
IT	3292-96-4 3453-81-4, Nonamethyl-1-acetoxytetrasiloxane 3560-95-0, Undecamethyl-1-acetoxypentasiloxane 70693-47-9, Pentamethyl-1-acetoxydisiloxane 144139-44-6, Tridecamethyl-1-acetoxyhexasiloxane 718614-11-0, Nonaethyl-1-acetoxytetrasiloxane 718614-12-1, Nona-tert-butyl-1-acetoxytetrasiloxane 718614-13-2, Nonabenzyl-1-acetoxytetrasiloxane 718614-14-3, Nonaisopropyl-1-acetoxytetrasiloxane 718614-15-4, Nonapropyl-1-acetoxytetrasiloxane 718614-16-5, Nonaisobutyl-1-acetoxytetrasiloxane 718614-17-6, Nonaamyl-1-acetoxytetrasiloxane 718614-18-7, Nonabutyl-1-acetoxytetrasiloxane 718614-19-8, Nonadodecyl-1-acetoxytetrasiloxane 718614-20-1, Nonahexyl-1-acetoxytetrasiloxane 718614-21-2, Nonaphenyl-1-acetoxytetrasiloxane 718614-22-3, Nonaoctyl-1-acetoxytetrasiloxane 718614-23-4, Undecaethyl-1-acetoxypentasiloxane 718614-24-5, Undeca-tert-butyl-1-acetoxypentasiloxane 718614-25-6, Undecabenzyl-1-acetoxypentasiloxane 718614-26-7,			


Undecaisopropyl-1-acetoxypentasiloxane 718614-27-8,
 Undecapropyl-1-acetoxypentasiloxane 718614-28-9,
 Undecaisobutyl-1-acetoxypentasiloxane 718614-29-0,
 Undecaamyl-1-acetoxypentasiloxane 718614-30-3,
 Undecabutyl-1-acetoxypentasiloxane 718614-31-4,
 Undecadodecyl-1-acetoxypentasiloxane 718614-32-5,
 Undecaheptyl-1-acetoxypentasiloxane 718614-33-6,
 Undecaphenyl-1-acetoxypentasiloxane 718614-34-7,
 Undecaoctyl-1-acetoxypentasiloxane 718614-35-8,
 Tridecaethyl-1-acetoxylhexasiloxane 718614-36-9,
 Trideca-tert-butyl-1-acetoxylhexasiloxane 718614-37-0,
 Tridecabenzyl-1-acetoxylhexasiloxane 718614-38-1,
 Tridecaisopropyl-1-acetoxylhexasiloxane 718614-39-2,
 Tridecapropyl-1-acetoxylhexasiloxane 718614-40-5,
 Tridecaisobutyl-1-acetoxylhexasiloxane 718614-41-6,
 Tridecaamyl-1-acetoxylhexasiloxane 718614-42-7,
 Tridecabutyl-1-acetoxylhexasiloxane 718614-43-8,
 Tridecadodecyl-1-acetoxylhexasiloxane 718614-44-9,
 Tridecaheptyl-1-acetoxylhexasiloxane 718614-45-0,
 Tridecaphenyl-1-acetoxylhexasiloxane 718614-46-1,
 Tridecaoctyl-1-acetoxylhexasiloxane

RL: RCT (Reactant); RACT (Reactant or reagent)

(ester precursor; silyl esters of high-boiling acids for erosion promoters in self-polishing antifouling paints)


RN 3292-96-4 HCAPLUS

CN Silanol, 1,1-dimethyl-1-[(1,1,3,3,3-pentamethyl-1-disiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)



RN 3453-81-4 HCAPLUS


CN 1-Tetrasiloxanol, 1,1,3,3,5,5,7,7,7-nonamethyl-, 1-acetate (CA INDEX NAME)



RN 3560-95-0 HCAPLUS


CN Silanol, 1,1-dimethyl-1-[(1,1,3,3,5,5,7,7,7-nonamethyl-1-tetrasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)

CN Silanol, 1,1-bis(1,1-dimethylethyl)-1-[[1,1,3,3,5,5,5-heptakis(1,1-dimethylethyl)-1-trisiloxanyl]oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-13-2 HCAPLUS

CN Silanol, 1-[[1,1,3,3,5,5,5-heptakis(phenylmethyl)-1-trisiloxanyl]oxy]-1,1-bis(phenylmethyl)-, 1-acetate (CA INDEX NAME)




RN 718614-14-3 HCAPLUS

CN Silanol, 1-[[1,1,3,3,5,5,5-heptakis(1-methylethyl)-1-trisiloxanyl]oxy]-1,1-bis(1-methylethyl)-, 1-acetate (CA INDEX NAME)




RN 718614-15-4 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,5-heptapropyl-1-trisiloxanyl)oxy]-1,1-dipropyl-, 1-acetate (CA INDEX NAME)




RN 718614-16-5 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,5-heptakis(2-methylpropyl)-1-trisiloxanyl)oxy]-1,1-bis(2-methylpropyl)-, 1-acetate (CA INDEX NAME)




RN 718614-17-6 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,5-heptapentyl-1-trisiloxanyl)oxy]-1,1-dipentyl-, 1-acetate (CA INDEX NAME)



RN 718614-18-7 HCAPLUS

CN Silanol, 1,1-dibutyl-1-[(1,1,3,3,5,5,5-heptabutyl-1-trisiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-19-8 HCAPLUS

CN Silanol, 1,1-didodecyl-1-[(1,1,3,3,5,5,5-heptadodecyl-1-trisiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)


RN 718614-23-4 HCAPLUS

CN Silanol, 1,1-diethyl-1-[(1,1,3,3,5,5,7,7,7-nonaethyl-1-tetrasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-24-5 HCAPLUS

CN Silanol, 1,1-bis(1,1-dimethylethyl)-1-[[1,1,3,3,5,5,7,7,7-nonakis(1,1-dimethylethyl)-1-tetrasiloxanyl]oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-25-6 HCAPLUS

CN Silanol, 1-[[1,1,3,3,5,5,7,7,7-nonakis(phenylmethyl)-1-tetrasiloxanyl]oxy]-1,1-bis(phenylmethyl)-, 1-acetate (CA INDEX NAME)




RN 718614-26-7 HCAPLUS

CN Silanol, 1,1-bis(1-methylethyl)-1-[[1,1,3,3,5,5,7,7,7-nonakis(1-methylethyl)-1-tetrasiloxanyl]oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-27-8 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,7,7,7-nonapropyl-1-tetrasiloxanyl)oxy]-1,1-dipropyl-, 1-acetate (CA INDEX NAME)




RN 718614-28-9 HCAPLUS

CN Silanol, 1,1-bis(2-methylpropyl)-1-[[1,1,3,3,5,5,7,7,7-nonakis(2-methylpropyl)-1-tetrasiloxanyl]oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-29-0 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,7,7,7-nonapentyl-1-tetrasiloxanyl)oxy]-1,1-dipentyl-, 1-acetate (CA INDEX NAME)




RN 718614-30-3 HCAPLUS

CN Silanol, 1,1-dibutyl-1-[(1,1,3,3,5,5,7,7,7-nonabutyl-1-tetrasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-31-4 HCAPLUS

CN Silanol, 1,1-didodecyl-1-[(1,1,3,3,5,5,7,7,7-nonadodecyl-1-tetrasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-32-5 HCAPLUS

CN Silanol, 1,1-dihexyl-1-[(1,1,3,3,5,5,7,7,7-nonahexyl-1-tetrasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-33-6 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,7,7,7-nona phenyl-1-tetrasiloxanyl)oxy]-1,1-diphenyl-, 1-acetate (CA INDEX NAME)




RN 718614-34-7 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,7,7,7-nona octyl-1-tetrasiloxanyl)oxy]-1,1-dioctyl-, 1-acetate (CA INDEX NAME)




RN 718614-35-8 HCAPLUS

CN Silanol, 1,1-diethyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecaethyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)





RN 718614-38-1 HCAPLUS

CN Silanol, 1,1-bis(1-methylethyl)-1-[[1,1,3,3,5,5,7,7,9,9,9-undecakis(1-methylethyl)-1-pentasiloxanyl]oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-39-2 HCAPLUS

CN Silanol, 1,1-dipropyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecapropyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-40-5 HCAPLUS

CN Silanol, 1,1-bis(2-methylpropyl)-1-[[1,1,3,3,5,5,7,7,9,9,9-undecakis(2-methylpropyl)-1-pentasiloxanyl]oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-41-6 HCAPLUS

CN Silanol, 1,1-dipentyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecapentyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-42-7 HCAPLUS

CN Silanol, 1,1-dibutyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecabutyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-43-8 HCAPLUS

CN Silanol, 1,1-didodecyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecadodecyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-44-9 HCAPLUS

CN Silanol, 1,1-dihexyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecahexyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-45-0 HCAPLUS

CN Silanol, 1,1-diphenyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecaphenyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)



RN 718614-46-1 HCAPLUS


CN Silanol, 1,1-dioctyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecaoctyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L33 ANSWER 4 OF 7 HCAPLUS COPYRIGHT 2009 ACS ON STN
 ACCESSION NUMBER: 2004:823973 HCAPLUS Full-text
 DOCUMENT NUMBER: 141:333670
 TITLE: Preparation of poly(siloxo esters), and their use as coating or film of implantable device
 INVENTOR(S): Vos, Marcel; Plehiers, Mark; Gillard, Michel
 PATENT ASSIGNEE(S): Sigmakalon Services B.V., Neth.
 SOURCE: PCT Int. Appl., 46 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004085560	A1	20041007	WO 2004-EP3258	20040326 ←
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1608716	A1	20051228	EP 2004-723592	20040326 ←
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK			
CN 1764705	A	20060426	CN 2004-80008138	20040326 ←
JP 2006521438	T	20060921	JP 2006-504882	20040326 ←
KR 2006022228	A	20060309	KR 2005-717985	20050924 ←
US 20060241240	A1	20061026	US 2006-550834	20060609 ←
PRIORITY APPLN. INFO.:			EP 2003-251907	A 20030326 ←
			WO 2004-EP3258	W 20040326
ED	Entered STN: 08 Oct 2004			
AB	The preparation of poly(silyl ester)s comprises the steps of reacting a polyacid with a polyacyloxysilyl derivative while removing the formed acid group(s) e.g. carboxylic acid, from the transesterification system with or without solvents. Thus, 40 g 1,3-diacetoxytetraoisopropylsiloxane, preparation given, and 16.06 g adipic acid were heated at 145-180°, while HOAc was distilled out of the reactor over 6 h to give polymer with a solid content 96.1%, mol. Weight 4000 Daltons, and a viscosity 80 dPa.s.			
IT	769957-73-5P RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (preparation of poly(siloxo esters) for coatings)			
RN	769957-73-5 HCAPLUS			
CN	1,3-Disiloxanediol, 1,1,3,3-tetrakis(1-methylethyl)-, diacetate (9CI) (CA INDEX NAME)			




IT 769957-74-6P 769957-77-9P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of poly(siloxy esters) for coatings)
 RN 769957-74-6 HCAPLUS
 CN Hexanedioic acid, polymer with 1,1,3,3-tetrakis(1-methylethyl)-1,3-disiloxanediy diacetate (9CI) (CA INDEX NAME)
 CM 1
 CRN 769957-73-5
 CMF C16 H34 O5 Si2



CM 2
 CRN 124-04-9
 CMF C6 H10 O4



RN 769957-77-9 HCAPLUS
 CN Acetic acid, _hydroxyl-, polymer with dihydro-2,5-furandione, (3S,6S)-3,6-dimethyl-1,4-dioxane-2,5-dione and 1,1,3,3-tetrakis(1-methylethyl)-1,3-disiloxanediy diacetate (9CI) (CA INDEX NAME)
 CM 1
 CRN 769957-73-5
 CMF C16 H34 O5 Si2




CM 2

CRN 4511-42-6

CMF C6 H8 O4

Absolute stereochemistry.



CM 3

CRN 108-30-5

CMF C4 H4 O3



CM 4

CRN 79-14-1

CMF C2 H4 O3



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L33 ANSWER 5 OF 7 HCAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2004:796314 HCAPLUS [Full-text](#)

DOCUMENT NUMBER: 141:296470

TITLE: A process for the protection of acid groups in
polymers with trihydrocarbyl silyl groups and its
application

PATENT ASSIGNEE(S): Sigma Kalon Services B.V., Neth.

SOURCE: Eur. Pat. Appl., 14 pp.

CODEN: EPXXDW




DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1462472	A1	20040929	EP 2003-251912	20030326
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
WO 2004085518	A1	20041007	WO 2004-EP3257	20040326
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1606338	A1	20051221	EP 2004-723588	20040326
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK				
PRIORITY APPLN. INFO.:			EP 2003-251912	A 20030326
			WO 2004-EP3257	W 20040326
ED Entered STN: 30 Sep 2004				
GI				



AB A process for the protection of acid group containing side chains and/or terminal acid groups on polymers is by reaction of at least one polymer acid group of -Z-OH wherein Z is represented by formula I, with a monoacyloxysilyl compound of formula II, while removing the formed acid group of formula R⁶CO₂H from the system to produce at least one protected acid group of formula III. In formula II and III, R¹, R², R³, R⁴, R⁵ each independently represent hydrogen, hydroxyl, alkyl, alkenyl, alkynyl, aryl or aralkyl radical optionally substituted, in the case of the hydrocarbyl radicals, by one or more substituents independently selected from the group comprising alkyl, alkoxy, aralkyl, aralkyloxy, aryl, aryloxy, hydroxyl, halogen, amino or amino alkyl radicals; R⁴ and R⁵ may also independently represent -L'-(Si R⁴R⁵L')_n-SiR¹R²R³, wherein R¹, R², R³, R⁴ and R⁵ are as defined above; L' represents O, S, or NR⁷, where R⁷ is defined as R⁶ below; n represents a


number of dihydrocarbylsiloxane units from 0 to 1000; and R6 is an hydrogen atom, an alkyl, aralkyl or aryl, alkenyl or alkynyl group optionally substituted, in the case of the hydrocarbyl radicals, with one or more substituents selected from the equivalent substituents as detailed for R1-R5 above.

- IT 3292-96-4, Heptamethyl-1-acetoxytrisiloxane 3453-81-4
 3560-95-0, Undecamethyl-1-acetoxypentasiloxane 70693-47-9
 , Pentamethyl-1-acetoxydisiloxane 144139-44-6,
 Tridecamethyl-1-acetoxyhexasiloxane 718614-11-0,
 Nonaethyl-1-acetoxytetrasiloxane 718614-12-1,
 Nona-tert-butyl-1-acetoxytetrasiloxane 718614-13-2,
 Nonabenzyl-1-acetoxytetrasiloxane 718614-14-3,
 Nonaisopropyl-1-acetoxytetrasiloxane 718614-15-4,
 Nona-n-propyl-1-acetoxytetrasiloxane 718614-16-5,
 Nona-isobutyl-1-acetoxytetrasiloxane 718614-17-6,
 Nonaamyl-1-acetoxytetrasiloxane 718614-18-7,
 Nona-n-butyl-1-acetoxytetrasiloxane 718614-19-8,
 Nonadodecyl-1-acetoxytetrasiloxane 718614-20-1,
 Nonaheptyl-1-acetoxytetrasiloxane 718614-21-2,
 Nonaphenyl-1-acetoxytetrasiloxane 718614-22-3,
 Nonaocetyl-1-acetoxytetrasiloxane 718614-23-4,
 Undecaethyl-1-acetoxypentasiloxane 718614-24-5,
 Undeca-tert-butyl-1-acetoxypentasiloxane 718614-25-6,
 Undecabenzyl-1-acetoxypentasiloxane 718614-26-7,
 Undeca-isopropyl-1-acetoxy-pentasiloxane 718614-27-8,
 Undeca-n-propyl-1-acetoxypentasiloxane 718614-28-9,
 Undeca-isobutyl-1-acetoxypentasiloxane 718614-29-0,
 Undecaamyl-1-acetoxypentasiloxane 718614-30-3,
 Undeca-n-butyl-1-acetoxypentasiloxane 718614-31-4,
 Undecadodecyl-1-acetoxypentasiloxane 718614-32-5,
 Undecaheptyl-1-acetoxypentasiloxane 718614-33-6,
 Undecaphenyl-1-acetoxypentasiloxane 718614-34-7,
 Undecaocetyl-1-acetoxypentasiloxane 718614-35-8,
 Tridecaethyl-1-acetoxyhexasiloxane 718614-36-9,
 Trideca-tert-butyl-1-acetoxyhexasiloxane 718614-37-0,
 Tridecabenzyl-1-acetoxyhexasiloxane 718614-38-1,
 Trideca-isopropyl-1-acetoxyhexasiloxane 718614-39-2,
 Tridecapropyl-1-acetoxyhexasiloxane 718614-40-5,
 Trideca-isobutyl-1-acetoxyhexasiloxane 718614-41-6,
 Tridecaamyl-1-acetoxyhexasiloxane 718614-42-7,
 Tridecabutyl-1-acetoxyhexasiloxane 718614-43-8,
 Tridecadodecyl-1-acetoxyhexasiloxane 718614-44-9,
 Tridecaheptyl-1-acetoxyhexasiloxane 718614-45-0,
 Tridecaphenyl-1-acetoxyhexasiloxane 718614-46-1,
 Tridecaocetyl-1-acetoxyhexasiloxane
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (protection of acid groups in polymers with trihydrocarbyl silyl groups)
- RN 3292-96-4 HCAPLUS
- CN Silanol, 1,1-dimethyl-1-[(1,1,3,3,3-pentamethyl-1-disiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 3453-81-4 HCAPLUS

CN 1-Tetrasiloxanol, 1,1,3,3,5,5,7,7,7-nonamethyl-, 1-acetate (CA INDEX NAME)



RN 3560-95-0 HCAPLUS

CN Silanol, 1,1-dimethyl-1-[(1,1,3,3,5,5,7,7,7-nonamethyl-1-tetrasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 70693-47-9 HCAPLUS

CN 1-Disiloxanol, 1,1,3,3,3,3-pentamethyl-, 1-acetate (CA INDEX NAME)




RN 144139-44-6 HCAPLUS

CN Silanol, 1,1-dimethyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecamethyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-11-0 HCAPLUS

CN Silanol, 1,1-diethyl-1-[(1,1,3,3,5,5,5-heptaethyl-1-trisiloxanyl)oxy]-,
1-acetate (CA INDEX NAME)




RN 718614-12-1 HCAPLUS

CN Silanol, 1,1-bis(1,1-dimethylethyl)-1-[[1,1,3,3,5,5,5-heptakis(1,1-dimethylethyl)-1-trisiloxanyl]oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-13-2 HCAPLUS

CN Silanol, 1-[[1,1,3,3,5,5,5-heptakis(phenylmethyl)-1-trisiloxanyl]oxy]-1,1-bis(phenylmethyl)-, 1-acetate (CA INDEX NAME)




RN 718614-14-3 HCAPLUS

CN Silanol, 1-[[1,1,3,3,5,5,5-heptakis(1-methylethyl)-1-trisiloxanyl]oxy]-1,1-bis(1-methylethyl)-, 1-acetate (CA INDEX NAME)




RN 718614-15-4 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,5-heptapropyl-1-trisiloxanyl)oxy]-1,1-dipropyl-, 1-acetate (CA INDEX NAME)




RN 718614-16-5 HCAPLUS


CN Silanol, 1-[[1,1,3,3,5,5,5-heptakis(2-methylpropyl)-1-trisiloxanyl]oxy]-1,1-bis(2-methylpropyl)-, 1-acetate (CA INDEX NAME)




RN 718614-17-6 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,5-heptapentyl-1-trisiloxanyl)oxy]-1,1-dipentyl-,
1-acetate (CA INDEX NAME)

RN 718614-18-7 HCAPLUS


CN Silanol, 1,1-dibutyl-1-[(1,1,3,3,5,5,5-heptabutyl-1-trisiloxanyl)oxy]-,
1-acetate (CA INDEX NAME)

RN 718614-19-8 HCAPLUS

CN Silanol, 1,1-didodecyl-1-[(1,1,3,3,5,5,5-heptadodecyl-1-trisiloxanyl)oxy]-,
1-acetate (CA INDEX NAME)


RN 718614-20-1 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,5-heptahexyl-1-trisiloxanyl)oxy]-1,1-dihexyl-,
1-acetate (CA INDEX NAME)




RN 718614-21-2 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,5-heptaphenyl-1-trisiloxanyl)oxy]-1,1-diphenyl-, 1-acetate (CA INDEX NAME)




RN 718614-22-3 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,5-heptaooctyl-1-trisiloxanyl)oxy]-1,1-dioctyl-, 1-acetate (CA INDEX NAME)




RN 718614-23-4 HCAPLUS

CN Silanol, 1,1-diethyl-1-[(1,1,3,3,5,5,7,7,7-nonaethyl-1-tetrasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-24-5 HCAPLUS

CN Silanol, 1,1-bis(1,1-dimethylethyl)-1-[[1,1,3,3,5,5,7,7,7-nonakis(1,1-dimethylethyl)-1-tetrasiloxanyl]oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-25-6 HCAPLUS

CN Silanol, 1-[[1,1,3,3,5,5,7,7,7-nonakis(phenylmethyl)-1-tetrasiloxanyl]oxy]-1,1-bis(phenylmethyl)-, 1-acetate (CA INDEX NAME)




RN 718614-26-7 HCAPLUS

CN Silanol, 1,1-bis(1-methylethyl)-1-[[1,1,3,3,5,5,7,7,7-nonakis(1-methylethyl)-1-tetrasiloxanyl]oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-27-8 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,7,7,7-nonapropyl-1-tetrasiloxanyl)oxy]-1,1-dipropyl-, 1-acetate (CA INDEX NAME)




RN 718614-28-9 HCAPLUS

CN Silanol, 1,1-bis(2-methylpropyl)-1-[(1,1,3,3,5,5,7,7,7-nonakis(2-methylpropyl)-1-tetrasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-29-0 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,7,7,7-nonapentyl-1-tetrasiloxanyl)oxy]-1,1-dipentyl-, 1-acetate (CA INDEX NAME)




RN 718614-30-3 HCAPLUS

CN Silanol, 1,1-dibutyl-1-[(1,1,3,3,5,5,7,7,7-nonabutyl-1-tetrasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-31-4 HCAPLUS

CN Silanol, 1,1-didodecyl-1-[(1,1,3,3,5,5,7,7,7-nonadodecyl-1-tetrasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-32-5 HCAPLUS

CN Silanol, 1,1-dihexyl-1-[(1,1,3,3,5,5,7,7,7-nonahexyl-1-tetrasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-33-6 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,7,7,7-nonaphenyl-1-tetrasiloxanyl)oxy]-1,1-diphenyl-, 1-acetate (CA INDEX NAME)




RN 718614-34-7 HCAPLUS

CN Silanol, 1-[(1,1,3,3,5,5,7,7,7-nonaoctyl-1-tetrasiloxanyl)oxy]-1,1-dioctyl-, 1-acetate (CA INDEX NAME)




RN 718614-35-8 HCAPLUS

CN Silanol, 1,1-diethyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecaethyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)



RN 718614-36-9 HCAPLUS


CN Silanol, 1,1-bis(1,1-dimethylethyl)-1-[[1,1,3,3,5,5,7,7,9,9,9-undecakis(1,1-dimethylethyl)-1-pentasiloxanyl]oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-37-0 HCAPLUS

CN Silanol, 1,1-bis(phenylmethyl)-1-[[1,1,3,3,5,5,7,7,9,9,9-undecakis(phenylmethyl)-1-pentasiloxanyl]oxy]-, 1-acetate (CA INDEX NAME)

PAGE 1-A




PAGE 2-A





RN 718614-38-1 HCAPLUS

CN Silanol, 1,1-bis(1-methylethyl)-1-[[1,1,3,3,5,5,7,7,9,9,9-undecakis(1-methylethyl)-1-pentasiloxanyl]oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-39-2 HCAPLUS

CN Silanol, 1,1-dipropyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecapropyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-40-5 HCAPLUS

CN Silanol, 1,1-bis(2-methylpropyl)-1-[[1,1,3,3,5,5,7,7,9,9,9-undecakis(2-methylpropyl)-1-pentasiloxanyl]oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-41-6 HCAPLUS

CN Silanol, 1,1-dipentyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecapentyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-42-7 HCAPLUS

CN Silanol, 1,1-dibutyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecabutyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-43-8 HCAPLUS

CN Silanol, 1,1-didodecyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecadodecyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-44-9 HCAPLUS

CN Silanol, 1,1-dihexyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecahexyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)




RN 718614-45-0 HCAPLUS

CN Silanol, 1,1-diphenyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecaphenyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)



RN 718614-46-1 HCAPLUS

CN Silanol, 1,1-diocetyl-1-[(1,1,3,3,5,5,7,7,9,9,9-undecaocetyl-1-pentasiloxanyl)oxy]-, 1-acetate (CA INDEX NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L33 ANSWER 6 OF 7 HCAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2004:36721 HCAPLUS [Full-text](#)

DOCUMENT NUMBER: 140:77954

TITLE: Process for the preparation of polyorganosilylated carboxylate monomers or polymers thereof

INVENTOR(S): Plehiers, Mark; Gillaud, Michel

PATENT ASSIGNEE(S): Sigmakalon Group B. V., Neth.

SOURCE: Eur. Pat. Appl., 12 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1380611	A1	20040114	EP 2002-254861	20020710 ←
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK				
WO 2004007591	A1	20040122	WO 2003-EP7360	20030709 ←

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TG, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

AU 2003250918 A1 20040202 AU 2003-250918 20030709 ←
 EP 1539861 A1 20050615 EP 2003-763756 20030709 ←

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK

JP 2005537335 T 20051208 JP 2005-505062 20030709 ←
 EP 1795551 A1 20070613 EP 2007-4596 20030709 ←

R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LI, LU, MC, NL, PT, RO, SE, SI, SK, TR

US 20060142516 A1 20060629 US 2005-520636 20050805 ←
 JP 2007262063 A 20071011 JP 2007-61671 20070312 ←
 US 20070196326 A1 20070823 US 2007-726130 20070321 ←
 KR 2007047851 A 20070507 KR 2007-708062 20070409 ←

PRIORITY APPLN. INFO.: EP 2002-254861 A 20020710 ←
 EP 2002-255549 A 20020808 ←
 EP 2003-763756 A3 20030709 ←
 JP 2005-505062 A3 20030709 ←
 WO 2003-EP7360 W 20030709 ←
 KR 2005-700421 A3 20050110 ←
 US 2005-520636 A1 20050805 ←

ED Entered STN: 16 Jan 2004


AB The title process comprises the steps of reacting a cyclosiloxane of formula (R4R5SiO)n with an unsatd. Organosilylated carboxylate monomer or a copolymer or a polymer thereof in the presence of a suitable catalyst. The products obtained are used as antifouling coatings for underwater structures. Thus, telomerization of hexamethylcyclotrisiloxane with trimethylsilyl methacrylate in the presence of ZnCl2 and 4-methoxyphenol in PhMe gave nonamethyl-1-methacryloyloxytetrasiloxane.

IT 640772-61-8P 640772-62-9P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
 (monomers; process for preparation of polyorganosilylated carboxylate monomers or polymers thereof)


RN 640772-61-8 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, 1,1,3,3,5,5,7,7,7-nonamethyl-1-tetrasiloxanyl ester (CA INDEX NAME)



RN 640772-62-9 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, 7,7,7-triethyl-1,1,3,3,5,5-hexamethyltetrasiloxanyl ester (9CI) (CA INDEX NAME)



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L33 ANSWER 7 OF 7 HCAPLUS COPYRIGHT 2009 ACS ON STN

ACCESSION NUMBER: 2000:456741 HCAPLUS Full-text

DOCUMENT NUMBER: 133:89953

TITLE: Silyl (meth)acrylate copolymers, their preparation, and antifouling paint compositions for hulls or underwater structures

INVENTOR(S): Tsuboi, Makoto; Yoshikawa, Eiichi; Arimura, Hidetaka; Hamazu, Fumio; Nakamura, Naoya; Hikiji, Yasuto; Oya, Masaaki; Hiyoshi, Satoshi; Kozono, Yukio

PATENT ASSIGNEE(S): Chugoku Marine Paints, Ltd., Japan

SOURCE: Eur. Pat. Appl., 91 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1016681	A2	20000705	EP 1999-310578	19991224
EP 1016681	A3	20001227		
EP 1016681	B1	20050817		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
KR 2000048359	A	20000725	KR 1999-60851	19991223
ZA 9907857	A	20010625	ZA 1999-7857	19991223
CA 2293124	A1	20000628	CA 1999-2293124	19991224
CA 2293124	C	20050607		
AU 9965498	A	20000720	AU 1999-65498	19991224
AU 742725	B2	20020110		
JP 2000248029	A	20000912	JP 1999-365889	19991224
JP 2000248228	A	20000912	JP 1999-365890	19991224
JP 2000265107	A	20000926	JP 1999-365891	19991224
JP 2001026621	A	20010130	JP 1999-365789	19991224
JP 2001026729	A	20010130	JP 1999-365790	19991224
ES 2247765	T3	20060301	ES 1999-310578	19991224
IN 1999BO00954	A	20070803	IN 1999-BO954	19991224
TR 9903274	A2	20001121	TR 1999-3274	19991227
SG 85690	A1	20020115	SG 1999-6646	19991227
TW 473490	B	20020121	TW 1999-88122984	19991227
US 6458878	B1	20021001	US 1999-472229	19991227
NO 325387	B1	20080414	NO 1999-6489	19991227
CN 1258687	A	20000705	CN 1999-127470	19991228
CN 1170860	C	20041013		
HK 1025340	A1	20051014	HK 2000-104563	20000724
IN 2004MU01046	A	20070608	IN 2004-MU1046	20040930
PRIORITY APPLN. INFO.:			JP 1998-374875	A 19981228
			JP 1998-374876	A 19981228

Serial No.:10/555,857

JP 1999-4372	A 19990111
JP 1999-133184	A 19990513
JP 1999-133307	A 19990513
IN 1999-MU954	A3 19991224

ED Entered STN: 07 Jul 2000

AB A silyl (meth)acrylate copolymer comprises (a) silyl (meth)acrylate constituent units of $\text{CH}_2\text{CR}_1(\text{COOSiR}_2\text{R}_3\text{R}_4)$ wherein R_1 is H or Me, R_2 -4 are alkyl, cycloalkyl, (substituted) Ph, (b) acrylic unsatd. Monomer constituent units of formula CHCR_5COZ wherein R_5 is H or Me, Z is OR_6 or NHR_7 , R_6 is (substituted) hydroxyalkyl, etc., R_7 is substituted alkyl, and (c) unsatd. Monomer constituent units other than the constituent units (a) and (b). The total amount of the constituent units (a), (b) and (c) is 100 %; and the polymer has a weight-average mol. Weight $\leq 200,000$. A polymer was prepared from 2-hydroxypropyl acrylate, Me methacrylate, and triisopropylsilyl acrylate.

IT 280555-90-0P

RL: IMF (Industrial manufacture); POF (Polymer in formulation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses) (silyl (meth)acrylate copolymers, their preparation, and antifouling paint comps. For hulls or underwater structures)


RN 280555-90-0 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, methyl ester, polymer with pentamethyldisiloxanyl 2-methyl-2-propenoate and tris(1-methylethyl)silyl 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 157859-20-6


CMF C12 H24 O2 Si



CM 2

CRN 4880-04-0

CMF C9 H20 O3 Si2



CM 3

CRN 80-62-6

CMF C5 H8 O2




REFERENCE COUNT:

6

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


Structure Search

=> D STAT QUE L37
L3 STR



Structure attributes must be viewed using STN Express query preparation.

L4 (529)SEA FILE=REGISTRY SSS FUL L3
L5 STR



Structure attributes must be viewed using STN Express query preparation.

L6 422 SEA FILE=REGISTRY SUB=L4 SSS FUL L5
L15 167 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L6 (L) PREP/RL
L19 310 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L6
L23 25 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L19 AND 42/SC, SX
L24 8 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L15 AND 42/SC, SX
L25 4129 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON ANTIFOULING AGENTS+OLD
NT/CT
L26 1 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L15 AND L25
L27 1 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L19 AND L25
L28 25 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON (L23 OR L24 OR L26 OR
L27)
L29 17 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L28 AND (PRY<=2003 OR
PY<=2003 OR AY<=2003 OR PD<=2003)
L34 10201 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON ANTIFOUL?/BI
L35 9 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON (L15 OR L19) AND L34
L36 6 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON L35 AND (PRY<=2003 OR
PY<=2003 OR AY<=2003 OR PD<=2003)
L37 18 SEA FILE=HCAPLUS SPE=ON ABB=ON PLU=ON (L29 OR L36)

=> S L37 NOT L33
L38 12 L37 NOT L33

=> D IBIB ED ABS HITSTR 1-12

L38 ANSWER 1 OF 12 HCAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 2002:98756 HCAPLUS Full-text
DOCUMENT NUMBER: 136:152837

TITLE: Composition for film formation and material for formation of insulating film between the layer of semiconductor element

INVENTOR(S): Okada, Takashi; Nishikawa, Michinori; Yamada, Kinji

PATENT ASSIGNEE(S): JSR Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 25 pp.
CODEN: JKXXAF


DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	JP 2002038081	A	20020206	JP 2000-221661	20000724 <--
PRIORITY APPLN. INFO.:				JP 2000-221661	20000724 <--
ED	Entered STN: 06 Feb 2002				
AB	The composition comprises (A) an aromatic polyarylene and/or an aromatic polyarylene ether, (B) a reactive silane coupling agent or its hydrolyzed condensate, and (C) an organic solvent. Thus, a composition was made from a copolymer of 9,9-bis(4-methylsulfonyloxyphenyl)fluorene and 2,4-dichlorotoluene 2, and vinyltrimethoxysilane 0.04 g in 18 g cyclohexanone.				
IT	395069-07-5 RL: MOA (Modifier or additive use); USES (Uses) (composition for film formation and material for formation of insulating film between the layer of semiconductor element)				
RN	395069-07-5 HCAPLUS				
CN	1,3-Disiloxanediol, 1,3-dimethyl-1,3-bis(phenylethynyl)-, diacetate (9CI) (CA INDEX NAME)				



L38 ANSWER 2 OF 12 HCAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1999:104666 HCAPLUS Full-text

DOCUMENT NUMBER: 130:197972

TITLE: moisture-curable one-liquid polyurethane sealing composition and its production

INVENTOR(S): Isaka, Akinada; Ishikawa, Kazunori

PATENT ASSIGNEE(S): Yokohama Rubber Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 9 pp.
CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	JP 11035819	A	19990209	JP 1997-193704	19970718 <--
PRIORITY APPLN. INFO.:				JP 1997-193704	19970718 <--
ED	Entered STN: 16 Feb 1999				

AB The title composition, with rapid setting and good storage stability, is prepared from (a) 100 parts isocyanate-terminated polyurethane prepolymers, (b) oxazoline derivs. [e.g., 2-phenyl-N-(2-hydroxyethyl)oxazolidine], (c) 0.1-20 parts C10-20 hydrocarbyloxy-based silyl ester-containing compds. [e.g., trimethylsilyl-terminated Me (stearoyloxy) polysiloxane], and (d) 0.01-10 parts C1-10 hydrocarbyloxy-based silyl ester-containing compds. [e.g., trimethylsilyl-terminated Me (capryloyloxy) polysiloxane, tris(acetyloxy) vinyl silane].

IT 188884-81-3 220713-75-7
 RL: MOA (Modifier or additive use); TEM (Technical or engineered material use); USES (Uses)
 (moisture-curable one-liquid polyurethane sealing composition and its production)


RN 188884-81-3 HCAPLUS

CN Poly[oxy[methyl[(1-oxooctadecyl)oxy]silylene]],
 α -(trimethylsilyl)- ω -[(trimethylsilyl)oxy]- (9CI) (CA INDEX NAME)



RN 220713-75-7 HCAPLUS

CN Poly[oxy[methyl[(1-oxooctyl)oxy]silylene]],
 α -(trimethylsilyl)- ω -[(trimethylsilyl)oxy]- (9CI) (CA INDEX NAME)



L38 ANSWER 3 OF 12 HCAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1997:470008 HCAPLUS Full-text

DOCUMENT NUMBER: 127:82909

ORIGINAL REFERENCE NO.: 127:15881a,15884a

TITLE: Method of making a polydiorganosiloxane-silica mixture, the resulting mixture and a room temperature curing sealant made therefrom

INVENTOR(S): Fisher, Mark David

PATENT ASSIGNEE(S): Dow Corning Corporation, USA

SOURCE: Eur. Pat. Appl., 9 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.

KIND DATE

APPLICATION NO.

DATE

EP 778307	A2	19970611	EP 1996-118821	19961125 <--
EP 778307	A3	19980318		
R: DE, FR, GB, IT				
US 5679725	A	19971021	US 1995-564755	19951129 <--
JP 09279031	A	19971028	JP 1996-318012	19961128 <--
PRIORITY APPLN. INFO.:			US 1995-564755	A 19951129 <--

OTHER SOURCE(S): MARPAT 127:82909

ED Entered STN: 26 Jul 1997


AB A process of making a polydiorganosiloxane-silica mixture from a free-flowing, powdered, surface-modified, reinforcing silica-polydiorganosiloxane suitable, for example, for producing RTV silicone sealant compns. which are non-sag. These mixts. are made by combining, mixing and heating a reinforcing silica filler and a surface modifying agent at 90-180° using 0.1-0.5 part the surface modifying agent per one part the silica. Polydiorganosiloxane is added gradually to the resulting fluidized filler over a time period of less than 10 min to yield the free flowing powdered reinforcing silica-polydiorganosiloxane. The final mixture is obtained by massing the concentrate and adding more polydiorganosiloxane to obtain a mixture which has from 8-20% silica filler. RTV silicone sealant compns. are obtained in 10 to 15 min from the initiation of this process. In an example, α,ω -diacetox(octamethyltetrasiloxane) is used as the surface modifying agent for silica.

IT 3293-02-5

RL: MOA (Modifier or additive use); USES (Uses)
 (surface modifier for silica; method of making
 polydiorganosiloxane-silica mixture for use in room temperature curing
 sealant)

RN 3293-02-5 HCAPLUS

CN 1,7-Tetrasiloxanediol, 1,1,3,3,5,5,7,7-octamethyl-, diacetate (8CI, 9CI)
 (CA INDEX NAME)



L38 ANSWER 4 OF 12 HCAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1995:630316 HCAPLUS Full-text

DOCUMENT NUMBER: 124:32137

ORIGINAL REFERENCE NO.: 124:6115a,6118a

TITLE: Nonirritating ultraviolet-curable acrylic resin coatings

INVENTOR(S): Kominami, Hiroshi; Saitome, Harumi

PATENT ASSIGNEE(S): Sony Chemicals, Japan

SOURCE: Jpn. Kokai Tokyo Koho, 15 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

Serial No.:10/555,857

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 07070472	A	19950314	JP 1994-144987	19940627 <--
JP 3381099	B2	20030224		
US 5663211	A	19970902	US 1996-645156	19960513 <--
PRIORITY APPLN. INFO.:			JP 1993-159173	A 19930629 <--
			JP 1994-144987	A 19940627 <--
			US 1994-355691	B1 19941214 <--

ED Entered STN: 22 Jun 1995

AB The title coatings contain 30-60 parts polyfunctional (Z3) (meth)acrylate esters having primary irritation index (PII) ≤ 2 , 20-50 parts bifunctional (meth)acrylate esters having PII ≤ 2 , 5-25 parts (meth)acrylate having PII ≤ 2 , functional group-substituted di(meth)acrylates, and photopolymer. initiators. The coatings are useful for protecting optical compact recording disks, etc. Thus, ethylene oxide-modified trimethylolpropane triacrylate 40, MANDA 40, phenoxyethyl acrylate 20, ethylene oxide-modified phosphate dimethacrylate 20, and 2-hydroxy-2-methyl-1-phenylpropane-1-one 7 parts were mixed to give a title composition (PII ≤ 2), which was spin-coated onto a polycarbonate substrate and irradiated with UV light to give a test piece showing cross-cut adhesion 100/100.

IT 169157-18-0P

RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
(nonirritating UV-curable acrylic resin coatings)

RN 169157-18-0 HCAPLUS


CN 2-Propenoic acid, 2-phenoxyethyl ester, polymer with α -[dimethyl[(1-oxo-2-propenyl)oxy]silyl]- ω -[[dimethyl[(1-oxo-2-propenyl)oxy]silyl]oxy]poly[oxy(dimethylsilylene)], α, α' -(2,2-dimethyl-1,3-propanediyl)bis[ω -[(1-oxo-2-propenyl)oxy]poly(oxy-1,2-ethanediyl)], α -hydro- ω -[(1-oxo-2-propenyl)oxy]poly(oxy-1,2-ethanediyl) ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1) and α, α' -phosphinobis[ω -[(2-methyl-1-oxo-2-propenyl)oxy]poly(oxy-1,2-ethanediyl)] (9CI) (CA INDEX NAME)

CM 1

CRN 169157-17-9

CMF (C2 H6 O Si)_n C10 H18 O5 Si2

CCI PMS




CM 2

CRN 84170-28-5


CMF (C2 H4 O)_n (C2 H4 O)_n C11 H16 O4

CCI PMS

PAGE 1-A



PAGE 1-B




CM 3

CRN 72829-36-8

CMF (C2 H4 O)n (C2 H4 O)n C8 H11 O6 P

CCI PMS

PAGE 1-A



PAGE 1-B



CM 4

CRN 48145-04-6

CMF C11 H12 O3




CM 5

CRN 28961-43-5


CMF (C2 H4 O)n (C2 H4 O)n (C2 H4 O)n C15 H20 O6

CCI PMS

PAGE 1-A



PAGE 1-B



L38 ANSWER 5 OF 12 HCAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1995:279117 HCAPLUS [Full-text](#)

DOCUMENT NUMBER: 122:268186

ORIGINAL REFERENCE NO.: 122:48917a,48920a

TITLE: Applications of thermogravimetry-Fourier transform IR spectroscopy in the characterization of weathered sealants

AUTHOR(S): Paroli, Ralph M.; Delgado, Ana H.

CORPORATE SOURCE: Inst. Res. Construction, Natl. Res. Council Canada, Ottawa, ON, K1A 0R6, Can.

SOURCE: ACS Symposium Series (1994), 581(Hyphenated Techniques in Polymer Characterization), 129-48
CODEN: ACSMC8; ISSN: 0097-6156

PUBLISHER: American Chemical Society


DOCUMENT TYPE: Journal

LANGUAGE: English

ED Entered STN: 07 Jan 1995

AB The combination of thermogravimetry-Fourier transform IR spectroscopy (TG-FTIR) was used to study the effects of accelerated weathering on silicone and polyurethane sealants. All evolved gases from the TG are sent to an FTIR spectrometer using a heated transfer line. The results demonstrate that this technique can be useful in identifying the decomposition products of construction sealants. It is relatively simple and can be adapted to most TG and FTIR combinations. Care must be taken that no leaks in the transfer line occur, since that could lead to peaks appearing in the IR spectrum but not appearing in the TG curve (e.g., oxidation of polymer backbone). This technique can be used to monitor the changes in chemical composition due to aging or weathering.


IT 162707-65-5
 RL: PRP (Properties)
 (thermogravimetry-Fourier Transform IR spectroscopy in the
 characterization of weathered sealants)
 RN 162707-65-5 HCAPLUS
 CN Poly[oxy(dimethylsilylene)], α -[bis(acetyloxy)methylsilyl]- ω -
 hydroxy- (9CI) (CA INDEX NAME)



L38 ANSWER 6 OF 12 HCAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 1995:273010 HCAPLUS [Full-text](#)
 DOCUMENT NUMBER: 122:33418
 ORIGINAL REFERENCE NO.: 122:6543a,6546a
 TITLE: Manufacture of silicone rubber molds from original
 molds
 INVENTOR(S): Takita, Kenichi; Takahashi, Masaharu
 PATENT ASSIGNEE(S): Shinetsu Chemical Industry Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 4 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 06226751	A	19940816	JP 1993-40448	19930204 <--
JP 2743956	B2	19980428		

PRIORITY APPLN. INFO.: JP 1993-40448 19930204 <--
 ED Entered STN: 05 Jan 1995
 AB Silicone rubber molds are easily prepared by spreading releasing agents on
 vulcanizer-containing peelable type silicone rubber sheets, spreading
 releasing agents on the surfaces of cavities of the original molds,
 vulcanizing the sheets in the cavities, and removing the sheets. A peroxide-
 vulcanized KE 662U molding with smooth appearance was prepared as described
 above within 10 s using HO(CH₂CH₂O)3Me2Si(OCH₂CH₂)3OH as the releasing agent.
 IT 159978-01-5
 RL: MOA (Modifier or additive use); TEM (Technical or engineered material
 use); USES (Uses)
 (mold release; manufacture of silicone rubber molds with specific releasing
 agents)
 RN 159978-01-5 HCAPLUS
 CN Poly[oxy(dimethylsilylene)], α -[dimethyl[(1-oxooctadecyl)oxy]silyl]-
 ω -[[dimethyl[(1-oxooctadecyl)oxy]silyl]oxy]- (9CI) (CA INDEX NAME)



L38 ANSWER 7 OF 12 HCAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1994:220507 HCAPLUS Full-text

DOCUMENT NUMBER: 120:220507

ORIGINAL REFERENCE NO.: 120:39137a,39140a

TITLE: Preparation of copolymers of siloxane (meth)acrylates and nonaqueous dispersions therefrom

INVENTOR(S): Tsubushi, Kazuo; Umemura, Kazuhiko; Uematsu, Hidemi

PATENT ASSIGNEE(S): Ricoh Kk, Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 22 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 05255443	A	19931005	JP 1992-86449	19920310 <--
JP 3306717	B2	20020724		

PRIORITY APPLN. INFO.: JP 1992-86449 19920310 <--

ED Entered STN: 30 Apr 1994

AB The title copolymers, having good dispersibility in silicone oil and fluoro solvents, and useful for adhesives, inks, toners, coatings, etc., are prepared by copolymn. of R1R2R3Si(OSiR4R5)mOSiR6R7(OCH2CH2)nOCOCR8:CH2 (I) [R1-7 = CnH2n+1, OH, CO2H, NH2, NMe2, Net2, (CH2)2OH, (CH2)2NH2, (CH2)2NMe2, (CH2)2Net2, (CH2)3NH2, (CH2)3NMe2, (CH2)3Net2, (CH2)3CO2H, (CH2)2CO2H, Ph, halo, OCOCH:CH2, OCOCMe:CH2; R8 = Me, H; m = 1-500; n = 1-10] with (meth)acrylates. Heating I (R1-8 = Me; m = 10; n = 1) 50, lauryl methacrylate 100, and AIBN 5 g in 500 g silicone oil at 80° gave a dispersion having viscosity 50 cP, and particle diameter 0.05 μm.

IT 154256-35-6P 154256-37-8P

RL: PREP (Preparation)

(nonaq. dispersions, preparation of, with good dispersibility)


RN 154256-35-6 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, 1,1,3,3,5,5-hexamethyl-5-[2-[(2-methyl-1-oxo-2-propenyl)oxy]ethoxy]trisiloxanyl ester, polymer with dodecyl 2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 154256-34-5

CMF C16 H32 O7 Si3



CM 2

CRN 2156-97-0

CMF C15 H28 O2




RN 154256-37-8 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, 3,3,5,5,5-pentamethyl-1-[2-[(2-methyl-1-oxo-2-propenyl)oxy]ethoxy]trisiloxanylidene ester, polymer with ethenylbenzene (9CI) (CA INDEX NAME)

CM 1

CRN 154256-36-7

CMF C19 H34 O9 Si3



CM 2

CRN 100-42-5

CMF C8 H8



L38 ANSWER 8 OF 12 HCAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 1989:536159 HCAPLUS Full-text
 DOCUMENT NUMBER: 111:136159
 ORIGINAL REFERENCE NO.: 111:22795a,22798a
 TITLE: Curable siloxane-barium sulfate compositions for sealants
 INVENTOR(S): Jonas, Reinhardt; Ulzheimer, Rudi
 PATENT ASSIGNEE(S): Perennator G.m.b.H., Fed. Rep. Ger.
 SOURCE: Eur. Pat. Appl., 9 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 313258	A2	19890426	EP 1988-309530	19881012 <--
EP 313258	A3	19901003		

R: DE, FR, GB, IT, NL

PRIORITY APPLN. INFO.: GB 1987-24502 A 19871020 <--


ED Entered SIN: 14 Oct 1989

AB Moisture-curable siloxane compns., useful as sealants, comprise (A) a mixture and/or a reaction product of an OH-containing poly(diorganosiloxane) with acyloxypolysiloxanes and (B) precipitated BaSO₄ filler having a specific particle size distribution. Thus, dimethylhydroxysilyl-terminated poly(dimethylsiloxane) (viscosity 50,000 mm²/s) 29.5, AcOH-trichloroethylsilane reaction product (vulcanizing agent) 2, poly(dimethylsiloxane) (viscosity 200-1000 mm²/s) 10.5, precipitated BaSO₄ (Blanc Fixe F, having an average particle size 1 + 10-6 m) 58, and dibutyltin diacetate catalyst 0.02 parts were mixed without external heating, and aged for 7 days at ambient temperature to form a sealant showing Shore A hardness 18, skin time 15 min, elongation >800%, and 100% modulus 0.35 MPa, compared with 25, 25, 550, and 0.35, resp., for a similar sealant composition using 50 parts ground BaSO₄ (having average particle size .apprx.10 + 10-6 m) instead of the precipitated BaSO₄.

IT 122842-90-4
 RL: USES (Uses)
 (vulcanizing agents, for silicone rubber compns.)

RN 122842-90-4 HCAPLUS

CN 1,1,3,3-Disiloxanetetrol, 1,3-diethyl-, tetraacetate (9CI) (CA INDEX NAME)



L38 ANSWER 9 OF 12 HCAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 1986:34962 HCAPLUS Full-text
 DOCUMENT NUMBER: 104:34962
 ORIGINAL REFERENCE NO.: 104:5743a,5746a
 TITLE: Curable alkenyl siloxane compositions
 INVENTOR(S): Suzuki, Toshio

Serial No.:10/555,857

PATENT ASSIGNEE(S): Toray Silicone Co., Ltd., Japan
 SOURCE: Eur. Pat. Appl., 17 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 154898	A2	19850918	EP 1985-102225	19850228 <--
EP 154898	A3	19870826		
EP 154898	B1	19901003		
R: CH, DE, FR, GB, IT, LI, SE				
JP 60181162	A	19850914	JP 1984-37112	19840228 <--
JP 03063994	B	19911003		
US 4631321	A	19861223	US 1985-703639	19850221 <--
CA 1245395	A1	19881122	CA 1985-475133	19850226 <--
US 4683278	A	19870728	US 1986-897488	19860818 <--
PRIORITY APPLN. INFO.:			JP 1984-37112	A 19840228 <--
			US 1985-703639	A3 19850221 <--

ED Entered STN: 08 Feb 1986

AB Products with high strength are prepared without reinforcing fillers by curing mixts. of alkenyl siloxanes, hydrogen siloxanes, and Pt catalysts. Applications include elec. and electronic parts, silicone rubber molds, and coatings for wires or optical fibers. Thus, a siloxane (viscosity 0.6 Pa-s) was prepared by mixing an HSi-terminated di-Me siloxane (viscosity 0.25 Pa-s) 100, Si(OSiMe2CH:CH2)4 25, and 3% H2PtCl6 0.5 part at 150° for 2 h. A mixture of this siloxane 100, di-Me siloxane-Me hydrogen siloxane copolymer (viscosity 0.01 Pa-s) 8, 3% H2PtCl6 0.5, and 3 phenyl-1-butyne-3-ol 0.1 part was cured at 150° for 2.5 h. The product had 8 kg/cm2 tensile strength and JIS hardness 40.


IT 99796-45-9

RL: USES (Uses)

(in hydrosilylation-curable siloxane compns.)

RN 99796-45-9 HCAPLUS

CN Silanol, 1,1,1-tris[(ethenyldimethylsilyl)oxy]-, 1-acetate (CA INDEX NAME)



L38 ANSWER 10 of 12 HCAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1985:63721 HCAPLUS Full-text

DOCUMENT NUMBER: 102:63721

ORIGINAL REFERENCE NO.: 102:10005a,10008a

TITLE: Epoxy coating compositions


PATENT ASSIGNEE(S): Toshiba Corp., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 9 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	JP 59168072	A	19840921	JP 1983-42306	19830316 <--
PRIORITY APPLN. INFO.:				JP 1983-42306	19830316 <--
ED	Entered STN: 24 Feb 1985				
AB	The title comps. having excellent pot life and forming anticorrosive coatings with excellent adhesion contain an Al compound and an organic Si compound having ≤ 1 hydrolyzable or thermally decomposable group bonded to Si. Thus, a composition from Epikote 828 [25068-38-6] 25, Epikote 1004 5, ERL 4221 [25085-98-7] (alicyclic epoxy resin) 10, tris(Bu acetoacetate)aluminum [83779-04-8] 1, dimethoxydiphenylsilane [6843-66-9] 1, TiO ₂ 20, talc 13, BaSO ₄ 13, bentonite 2, and Me iso-Bu ketone 10 parts had gel time (40°) >40 days. This composition has coated on a mild steel plate, dried at 80° for 1 h, and baked at 160° for 10 h to give coating having excellent water and salt-water-spray resistances.				
IT	94593-09-6 RL: CAT (Catalyst use); USES (Uses) (catalysts, containing aluminum compds., pot life-extending, for crosslinking of anticorrosive epoxy resin coatings)				
RN	94593-09-6 HCAPLUS				
CN	1,5-Trisiloxanediol, 1,1,3,3,5,5-hexakis(4-methoxyphenyl)-, diacetate (9CI) (CA INDEX NAME)				



L38 ANSWER 11 OF 12 HCAPLUS COPYRIGHT 2009 ACS on STN
 ACCESSION NUMBER: 1978:445196 HCAPLUS [Full-text](#)
 DOCUMENT NUMBER: 89:45196
 ORIGINAL REFERENCE NO.: 89:7051a,7054a
 TITLE: Abrasion-resistant silicone-coating
 INVENTOR(S): Vaughn, Howard Alton, Jr.; Holub, Fred Frank
 PATENT ASSIGNEE(S): General Electric Co., USA
 SOURCE: Ger. Offen., 40 pp.
 CODEN: GWXXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 3
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
------------	------	------	-----------------	------

DE 2752617	A1	19780601	DE 1977-2752617	19771125 <--
GB 1596760	A	19810826	GB 1977-45713	19771103 <--
FR 2372204	A1	19780623	FR 1977-35486	19771125 <--
JP 53081533	A	19780719	JP 1977-140782	19771125 <--
PRIORITY APPLN. INFO.:			US 1976-745151	A 19761126 <--


ED Entered STN: 12 May 1984

AB Reaction products of H₂N(CH₂)₃Si(OEt)₃ (I) [919-30-2] and maleic anhydride (II) were used in the preparation of abrasion-resistant coatings for plastics, metals, glass, etc. Thus, 10 parts BuOH containing 0.2 part I-II reaction product (50% in EtOH) was coated on a substrate as a primer, hardened at 120° during 60 min, coated with a mixture of partially hydrolyzed MeSi(OEt)₃ (30% in BuOH) 10, I-II reaction product (50% in EtOH) 1, and HO(SiMe₂)₆H 0.5 part, dried in air, and hardened at 120° during 60 min to prepare an abrasion- and acetone-resistant coating.

IT 17985-00-1
RL: USES (Uses)
(coatings containing, abrasion- and solvent-resistant)

RN 17985-00-1 HCAPLUS

CN 1,1,3,3-Disiloxanetetrol, 1,3-dimethyl-, 1,1,3,3-tetraacetate (CA INDEX NAME)



L38 ANSWER 12 OF 12 HCAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1976:76066 HCAPLUS Full-text

DOCUMENT NUMBER: 84:76066

ORIGINAL REFERENCE NO.: 84:12491a,12494a

TITLE: Organosilicon composition which heightens and immediately imparts antiadhesive properties to cellulose and synthetic materials

INVENTOR(S): Dumoulin, Jean

PATENT ASSIGNEE(S): Rhone-Poulenc S. A., Fr.

SOURCE: Ger. Offen., 23 pp.

CODEN: GWXXBX

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	-----	-----	-----	-----
DE 2525883	A1	19751211	DE 1975-2525883	19750610 <--
DE 2525883	B2	19771110		
FR 2273835	A1	19760102	FR 1974-19950	19740610 <--
GB 1479356	A	19770713	GB 1975-22816	19750523 <--
NL 7506522	A	19751212	NL 1975-6522	19750602 <--
NL 167984	B	19810916		
NL 167984	C	19820216		
JP 51033150	A	19760322	JP 1975-68482	19750606 <--
JP 52009469	B	19770316		
ZA 7503675	A	19760526	ZA 1975-3675	19750606 <--

Serial No.:10/555,857

AU 7581916	A	19761118	AU 1975-81916	19750606 <--
US 4018734	A	19770419	US 1975-584353	19750606 <--
BE 830022	A1	19751209	BE 1975-157154	19750609 <--
NO 7502037	A	19751211	NO 1975-2037	19750609 <--
NO 142674	B	19800616		
NO 142674	C	19800924		
SE 7506581	A	19751211	SE 1975-6581	19750609 <--
SE 422585	B	19820315		
SE 422585	C	19820624		
CH 572509	A5	19760213	CH 1975-7404	19750609 <--
BR 7503611	A	19760622	BR 1975-4622	19750609 <--
CA 1050184	A1	19790306	CA 1975-228824	19750609 <--
FI 7501735	A	19751211	FI 1975-1735	19750610 <--
FI 62125	B	19820730		
FI 62125	C	19821110		

PRIORITY APPLN. INFO.: FR 1974-19950 A 19740610 <--


ED Entered STN: 12 May 1984

AB Coating paper and polyethylene (I) [9002-88-4] with a siloxane composition containing organotin, epoxy- and acetoxysilane, and alkoxyethylated melamine derivs. and drying increased the nonstick properties of the substrates. Thus, cm-celulose and I-coated kraft paper carriers were sep. coated with a mixture of polyoctamethylcyclotetrasiloxane [25037-57-4] 100, hydrocarbon solvent 1330, MeCOEt 10, dibutyltin dilaurate [77-58-7] 1.6, [3-(2,3-epoxypropoxy)propyltrimethoxysilane [2530-83-8] 0.2, hexakis(methoxymethyl)melamine [3089-11-0] 0.5, and methyltriacetoxysilane [4253-34-3] 3.3 parts, and dried for 5 and 15 sec at 150° and 120° resp., to give carriers with 0.6 and 0.3 g/m² coat weight which had 2 g separating power for 1 cm width band when an adhesive tape was applied to the coated sides of each carrier.

IT 17985-00-1
RL: USES (Uses)
(siloxanes containing organotin derivs. and, antisticky coatings, on paper)

RN 17985-00-1 HCAPLUS

CN 1,1,3,3-Disiloxanetetrol, 1,3-dimethyl-, 1,1,3,3-tetraacetate (CA INDEX NAME)



Search History

```

      ACT USE857STR4/A
      -----
L1      STR
L2      529 SEA SSS FUL L1
      -----
      ACT USE857STR17/A
      -----
L3      STR
L4      ( 529)SEA SSS FUL L3
L5      STR
L6      422 SEA SUB=L4 SSS FUL L5
      -----

FILE 'HCAPLUS' ENTERED AT 09:32:15 ON 25 JUN 2009
      ACT USE857HC1AU/A
      -----
L7      STR
L8      ( 529)SEA SSS FUL L7
L9      STR
L10     ( 422)SEA SUB=L8 SSS FUL L9
L11     ( 310)SEA SPE=ON ABB=ON PLU=ON L10
L12     ( 101)SEA SPE=ON ABB=ON PLU=ON GILLARD M?/AU
L13     ( 528)SEA SPE=ON ABB=ON PLU=ON VOS M?/AU
L14     4 SEA SPE=ON ABB=ON PLU=ON (L12 OR L13) AND L11
      -----
      ACT USE857HC1A/A
L15     167 SEA SPE=ON ABB=ON PLU=ON L6 (L) PREP/RL
L16     150 SEA SPE=ON ABB=ON PLU=ON L15 AND (PRY<=2003 OR PY<=2003 OR
      AY<=2003 OR PD<=2003)
L17     90310 SEA SPE=ON ABB=ON PLU=ON PAINTS+OLD,NT/CT OR PAINT/BI
L18     1 SEA SPE=ON ABB=ON PLU=ON L16 AND L17
L19     310 SEA SPE=ON ABB=ON PLU=ON L6
L20     4 SEA SPE=ON ABB=ON PLU=ON L17 AND L19
L21     3 SEA SPE=ON ABB=ON PLU=ON L20 AND (PRY<=2003 OR PY<=2003 OR
      AY<=2003 OR PD<=2003)
L22     1 SEA SPE=ON ABB=ON PLU=ON WO2004-EP04997/APPS
L23     25 SEA SPE=ON ABB=ON PLU=ON L19 AND 42/SC, SX
L24     8 SEA SPE=ON ABB=ON PLU=ON L15 AND 42/SC, SX
L25     4129 SEA SPE=ON ABB=ON PLU=ON ANTIFOULING AGENTS+OLD,NT/CT
L26     1 SEA SPE=ON ABB=ON PLU=ON L15 AND L25
L27     1 SEA SPE=ON ABB=ON PLU=ON L19 AND L25
L28     25 SEA SPE=ON ABB=ON PLU=ON (L23 OR L24 OR L26 OR L27)
L29     17 SEA SPE=ON ABB=ON PLU=ON L28 AND (PRY<=2003 OR PY<=2003 OR
      AY<=2003 OR PD<=2003)
L30     101 SEA SPE=ON ABB=ON PLU=ON GILLARD M?/AU
L31     528 SEA SPE=ON ABB=ON PLU=ON VOS M?/AU
L32     3 SEA SPE=ON ABB=ON PLU=ON (L30 OR L31) AND L29
L33     7 SEA SPE=ON ABB=ON PLU=ON (L20 OR L32)
L34     10201 SEA SPE=ON ABB=ON PLU=ON ANTIFOUL?/BI
L35     9 SEA SPE=ON ABB=ON PLU=ON (L15 OR L19) AND L34
L36     6 SEA SPE=ON ABB=ON PLU=ON L35 AND (PRY<=2003 OR PY<=2003 OR
      AY<=2003 OR PD<=2003)
L37     18 SEA SPE=ON ABB=ON PLU=ON (L29 OR L36)

```

FILE 'HCAPLUS' ENTERED AT 09:55:02 ON 25 JUN 2009

L38

12 SEA SPE=ON ABB=ON PLU=ON L37 NOT L33